





Puritan[®]
Quality since 1919

Distributed by
cambio 
Excellence in
Molecular Biology



We are Puritan.®

The world's largest – and most trusted – manufacturer of swabs and single-use sample collection devices.

Healthcare and diagnostic professionals have been relying on Puritan® since 1919. And our product line has grown over that time, evolving to meet the challenges and changes in the field.

This line includes everything you need, from tongue depressors, still made with fine, splinter-free North American hardwood, to our famous, patented flocked swabs, and other specialty products.

We will continue to develop and offer standard and custom products backed by our reputation for quality and consistency.

All Puritan-produced products are made in the USA and ready to ship from one of our four, state-of-the-art manufacturing facilities.



HydraFlock®




PurFlock
ULTRA®

Revolutionary flocked swab technology


Puritan® patented flock – an evolution in diagnostic design.

We strive to provide the most cutting-edge products for our customers. Our unique, proprietary manufacturing process for HydraFlock® and PurFlock Ultra® flocked swabs incorporates intricate fiber technology developed and designed for swabs with increased absorbency and elution capacities.




PURFLOCK ULTRA®

Tips are made of multi-length flocked polyester fibers designed to increase absorption and elution of specimen.



HYDRAFLOCK®

When you need to maximize sample collection and elution, choose our HydraFlock® with its floret-like structure.



VELVET-LIKE BRUSH TIP

offers optimum sample collection and rapid release into liquid media.

FULLY INTEGRATED FIBERS

Puritan's exclusive, proprietary multi-length flocked fibers are securely adhered to the shaft.

HANDLE AVAILABLE WITH PRE-MOLDED BREAKPOINTS

to accommodate different processing systems.

PATENT INFORMATION

		PurFlock Ultra®	HydraFlock®
PATENTED			
Australia	AU	2010341421	2010341422
Canada	CA	2,744,678	2,744,282
China	CN	ZL201080049991.2	ZL201080049992.7
Germany	DE	602010008035.8	602010008033.1
European	EP	2263549	2263548
Spain	ES	2263549	2263548
France	FR	2263549	2263548
Great Britain	GB	2263549	2263548
Hong Kong	HK	HK1152217	HK1152216
Italy	IT	2263549	2263548
Japan	JP	5453529	5453530 6054277
United States	US	8,420,385	8,334,134
		9,274,029	9,279,747
		10,094,744	10,094,744
		10,098,385	10,948,385
			10,094,745 10,948,386
PATENT PENDING			
United States	US	14/969536	15/007,629

A unique tip style for every application

Find the swab that fits your needs.

LARGE



This tip shape can be found on the following swab(s):

3406

STANDARD



This tip shape can be found on the following swab(s):

3306

MINIATURE



This tip shape can be found on the following swab(s):

3316

STRAIGHT



This tip shape can be found on the following swab(s):

3000

ULTRAFINE



This tip shape can be found on the following swab(s):

3317

3319

3320

MICRO ULTRAFINE



This tip shape can be found on the following swab(s):

3318

ELONGATED/STRAIGHT



This tip shape can be found on the following swab(s):

3206

3506

ELONGATED/TAPERED



This tip shape can be found on the following swab(s):

3606

3706

3806


The power of flock

Why choose Puritan flocked swabs?




FLOCKED POLYESTER HEAD

Flocked polyester fibers have the ability to better absorb organisms at the collection site when compared to spun fibers.




MULTI-LENGTH FLOCK APPLICATION

Multi-length flock fibers are fully integrated with the shaft without the use of heavy adhesives.




ROBUST SAMPLE COLLECTION

Each flocked fiber becomes a contact point for increased absorption.




MAXIMIZED SAMPLING SIZE

Sample is collected and adheres to each individual fiber.



CONVENIENT HANDLING

Our swabs are available with pre-molded breakpoints designed for convenience.




RAPID ELUTION

The patented fibers act as super collectors, and are quick to release specimen into medium for transport.

Common collection sites

Puritan makes swabs with various tip and handle styles, suitable for various collection sites.











Flock swab styles (in full length)

Suitable for various collection sites.



HYDRAFLOCK® AND PURFLOCK ULTRA® FLOCKED SWABS (PATENTED)





These patented specimen collection devices produce superior sample collection, sample elution, and test sensitivity compared to older-style nylon and traditional spun fiber products. by combining a unique micro-structure with innovative fibers.

	HydraFlock® Item No.	PurFlock Ultra® Item No.	Product Description	Tip length x diameter	Full length	Packaging pack (case total), weight
	non-sterile sterile					
	3206-H	3206-U	Elongated tip, tapered polystyrene handle, no breakpoint (custom breakpoint available)	19.6 x 5.6 mm 0.77 x 0.22"	150.6 mm 5.93"	10/100 (1,000/cs), 3 lb
	25-3206-H	25-3206-U				10/50/1 (500/cs), 4 lb
	25-3206-H 20MM*	25-3206-U 20MM	Elongated tip, tapered polystyrene handle with 20 mm molded breakpoint	19.6 x 5.6 mm 0.77 x 0.22"	150.6 mm 5.93"	10/50/1 (500/cs), 4 lb
	3306-H	3306-U	Standard tip, polystyrene handle with 80 mm molded breakpoint	17.5 x 5.1 mm 0.69 x 0.2"	153.4 mm 6.04"	10/100 (1,000/cs), 3 lb
25-3306-H*	25-3306-U*	10/50/1 (500/cs), 4 lb				
	3316-H	3316-U	Mini tip, polystyrene handle, no breakpoint (custom breakpoint available)	20.3 x 3.4 mm 0.8 x 0.14"	153.4 mm 6.04"	10/100 (1,000/cs), 2 lb
	25-3316-H*	25-3316-U*				10/50/1 (500/cs), 4 lb
	3317-H	3317-U	Ultrafine tip, polystyrene handle with 100 mm molded breakpoint	16.7 x 3.6 mm 0.66 x 0.14"	153.4 mm 6.04"	10/100 (1,000/cs), 2 lb
	25-3317-H*	25-3317-U*				10/50/1 (500/cs), 4 lb
	25-3317-H 20**	25-3317-U 20**	Alternate packaging (1,000 individually wrapped swabs presented in 50 perforated strips of 20)			50/20/1 (1,000/cs), 4 lb
	3318-H	3318-U	Micro ultrafine tip, polystyrene handle with 100 mm molded breakpoint	7.9 x 3.6 mm 0.31 x 0.14"	153.4 mm 6.04"	10/100 (1,000/cs), 2 lb
	25-3318-H*	25-3318-U*				10/50/1 (500/cs), 4 lb
	25-3319-H*	-	Ultrafine tip, polystyrene handle, no breakpoint (custom breakpoint available)	16.7 x 3.6 mm 0.66 x 0.14"	152.9 mm 6.02"	10/50/1 (500/cs), 4 lb
	25-3320-H	25-3320-U				Ultrafine tip, refined tapered polystyrene handle (also available with 80 or 100 mm breakpoints)
	3406-H	3406-U	Large tip, tapered polystyrene handle with 80 mm molded breakpoint	17.3 x 5.6 mm 0.68 x 0.22"	150.6 mm 5.93"	10/100 (1,000/cs), 3 lb
	25-3406-H*	25-3406-U*				10/50/1 (500/cs), 4 lb
	3506-H	-	Elongated tip, tapered polystyrene handle with 80 mm molded breakpoint	19.6 x 5.6 mm 0.77 x 0.22"	150.6 mm 5.93"	10/100 (1,000/cs), 3 lb
	25-3506-H	25-3506-U				10/50/1 (500/cs), 4 lb

*also available in a dry transport tube (BT)

**contains 1,000 individually wrapped swabs presented in 50 perforated strips of 20


HYDRAFLOCK® AND PURFLOCK ULTRA® FLOCKED SWABS (PATENTED), CONTINUED

	HydraFlock® Item No.	PurFlock Ultra® Item No.	Product Description	Tip length x diameter	Full length	Packaging pack (case total), weight
non-sterile sterile						
	3606-H	–	Elongated tip, tapered polystyrene handle with 30 mm molded breakpoint	17.4 x 5.6 mm 0.69 x 0.22"	152.4 mm 6"	10/100 (1,000/cs), 3 lb
	25-3606-H*	25-3606-U*				10/50/1 (500/cs), 4 lb
	3706-H	3706-U	Elongated tip, polystyrene handle with 100 mm molded breakpoint	17.4 x 5.6 mm 0.69 x 0.22"	152.4 mm 6"	10/100 (1,000/cs), 3 lb
	25-3706-H*	25-3706-U*				10/50/1 (500/cs), 4 lb
	–	3806-U	Elongated tip, polystyrene handle, no breakpoint (custom breakpoint available)	17.4 x 5.6 mm 0.69 x 0.22"	152.4 mm 6"	10/100 (1,000/cs), 3 lb
	25-3806-H*	25-3806-U*				10/50/1 (500/cs), 4 lb
	3000-H E30	3000-U E30	Straight tip, extruded polystyrene handle with 30 mm molded breakpoint	20.3 x 4.6 mm 0.8 x 0.18"	150.2 mm 5.92"	10/100 (1,000/cs), 2 lb
	25-3000-H E30	25-3000-U E30				10/50/1 (500/cs), 4 lb

*also available in a dry transport tube (BT)

**contains 1,000 individually wrapped swabs presented in 50 perforated strips of 20


A closer look...



HydraFlock®

FIBERS MAGNIFIED 1,000X

- 3D fibers with floret-like structure maximizes specimen collection surface
- Each fiber is comprised of multiple strands of bi-component fiber
- Ideal for a variety of clinical and diagnostic uses



PurFlock Ultra®

FIBERS MAGNIFIED 1,000X

- Fibers are engineered for purity + maximal cell yield
- Ideal for sensitivity of diagnostic testing when validated by the test manufacturer and/or laboratory
- Higher purity than traditional flock swabs

Did you know?







Puritan's HydraFlock® swabs are made from multi-length fibers; **each fiber is comprised of 36 strands** of a proprietary polyester blend.

Did you know?

Puritan's **25-1503 1PFB SOLID** was created in response to a request for a foam swab with a shorter handle that would better fit into an at-home-testing kit.

FOAM-TIPPED APPLICATORS

Well suited for a variety of clinical and DNA applications. Tips are made of medical-grade foam. Choose from a range of shapes and handle materials.


	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
non-sterile sterile					
	25-1406 1PF 50	Mini flexible tip, tapered acetal handle	14.0 x 3.6 mm 0.55 x 0.14"	152.4 mm 6"	10/50/1 (500/cs), 9 lb
	25-1503 1PFB SOLID	Standard tip, polystyrene handle	16 x 4.7 mm 0.63 x 0.19"	76.2 mm 3"	1,000 BULK (1,000/cs), 4 lb
	25-1506 1PF 100	Standard tip, polystyrene handle, paper wrapper.	16 x 4.7 mm 0.63 x 0.19"	152.4 mm 6"	10/100/1 (1,000/cs), 6 lb
	25-1506 1PFB 20**	Standard tip, polystyrene handle, paper/poly wrapper			50/20/1 (1,000/cs), 4 lb
	25-1605 1PSF RECT	Rectangular tip, polypropylene handle	25.4 x 13.5 mm 1 x 0.53"	130.2 mm 5.13"	10/50/1 (500/cs), 5 lb
	25-1607 1PF SC	Large macrofoam tip, polypropylene handle, scored with thumb stop to prevent deep insertion	25.4 x 11.3 mm 1 x 0.44"	130.8 mm 5.15"	10/50/1 (500/cs), 5 lb
	25-1805 1PF RND	Round tip, polypropylene handle	28.6 x 23 mm 1.13 x 0.91"	130.2 mm 5.3"	10/50/1 (500/cs), 6 lb

**contains 1,000 individually wrapped swabs presented in 50 perforated strips of 20

FOAM WOUND MEASURING DEVICE (DM STICK)

The soft foam-tipped applicator is flexible to conform to wound shape and features a metric rule for easy measuring. Designed to assess decubitus ulcers but also perfect for forensics, emergency rooms, long-term care, and more.

FEATURED PRODUCT: DM stick wound measuring device (#1506-PFB DM)



	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	non-sterile sterile				
	1506-PFB DM	DM stick wound measuring device, foam tip, polystyrene handle with printed graduation marks	10 x 5.1 mm 0.39 x 0.2"	152.4 mm 6"	20/50 (1,000/cs), 2 lb
	25-1506 1PF DM				4/50/1 (200/cs), 2 lb












FLORENCE NIGHTINGALE, WOUND ASSESSMENT PIONEER

It was when taking care of British soldiers in the mid 1800s that Florence Nightingale first recognized a very critical aspect of wound care: monitoring and documentation. This included measuring the wounds in order to track improvement or deterioration of each wound. Her efforts helped to establish the standard of care that still exists today.













POLYESTER-TIPPED APPLICATORS

High standards and strict adherence to quality control make Puritan the world's leading provider of medical-grade polyester tipped applicators. The tip material is carded, spun, and applied on-site. Choose from a variety of sizes and configurations with wood, aluminum, stainless steel, or plastic handles.









	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
non-sterile sterile					
	25-800 D 50	Mini tip, 0.035" diameter aluminum handle, curled end	17.5 x 2 mm 0.69 x 0.08"	138.1 mm 5.44"	10/50/1 (500/cs), 4 lb
	25-800 1PD 50	Mini tip, ultrafine polystyrene handle	17.5 x 2 mm 0.69 x 0.08"	154 mm 6.06"	10/50/1 (500/cs), 4 lb
	800-PD ALUM	Mini tip, aluminum/polystyrene handle	17.5 x 2 mm 0.69 x 0.08"	152.4 mm 6"	10/100 (1,000/cs), 2 lb
	25-800 1PD ALUM 50				10/50/1 (500/cs), 4 lb
	803-PD	3" standard tip, polystyrene handle	17.5 x 5.2 mm 0.69 x 0.2"	77.8 mm 3.06"	10/10/100 (10,000/cs), 10 lb
	806-PD	6" standard tip, polystyrene handle	17.5 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/10/100 (10,000/cs), 16 lb
	25-806 1PD				10/100/1 (1,000/cs), 6 lb
	25-806 2PD	Alternate packaging: 2-pack	10/100/2 (2,000/cs), 7 lb		
	25-806 1PD SOLID	Standard tip, solid polystyrene handle	17.5 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/100/1 (1,000/cs), 6 lb
	806-WD	Standard tip, wood handle	17.5 x 4.8 mm 0.69 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 17 lb
	25-806 1WD				10/100/1 (1,000/cs), 6 lb
	25-806 2WD				10/100/2 (2,000/cs), 7 lb
	25-826 2WD	Small tapered tip, wood handle	12.7 x 3 mm 0.5 x 0.12"	150.8 mm 5.94"	10/100/2 (2,000/cs), 6 lb
	1000-PD	Mini tip, scored, polyphenylene ether/ polystyrene blend, tapered handle	17.5 x 2 mm 0.69 x 0.08"	152.4 mm 6"	10/100 (1,000/cs), 18 lb
	25-1000 1PD				10/100/1 (1,000/cs), 5 lb

COTTON-TIPPED APPLICATORS

Available in a variety of handle materials, sizes, and configurations. Our US pharmaceutical-grade cotton is carded, spun, and applied in our ISO-registered facility to assure you of a consistent, high-quality products, order after order. A general, all-purpose swab.





	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	non-sterile sterile				
	803-PC	Standard tip, polystyrene handle	17.5 x 5.2 mm 0.69 x 0.2"	77.8 mm 3.06"	10/10/10 (10,000/cs), 7 lb
	25-803 2PC				10/100/2 (2,000/cs), 5 lb
	803-WC	Standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	77 mm 3.03"	10/10/100 (10,000/cs), 10 lb
	25-803 2WC				10/100/2 (2,000/cs), 5 lb
	803-WC HOSPITAL	Hospital® Brand, standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	77 mm 3.03"	10/10/100 (10,000/cs), 8 lb
	803-WCL	Large tip, wood handle	17.4 x 5.9 mm 0.69 x 0.23"	77 mm 3.03"	10/5/100 (5,000/cs), 7 lb
	804-PC UNBRK	Standard tip, unbreakable polystyrene handle	17.4 x 5.2 mm 0.69 x 0.2"	101.6 mm 4"	10/10/100 (10,000/cs), 12 lb
	806-PC	Standard tip, polystyrene handle	17.4 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/10/100 (10,000/cs), 17 lb
	25-806 1PC				10/100/1 (1,000/cs), 6 lb
	25-806 2PC				10/100/2 (2,000/cs), 7 lb
	25-806 2PC BLUE	Standard tip, blue polystyrene handle	17.4 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/100/2 (2,000/cs), 7 lb
	25-806 2PC PINK	Standard tip, pink polystyrene handle	17.4 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/100/2 (2,000/cs), 7 lb
	25-806 2PC YELLOW	Standard tip, yellow polystyrene handle	17.4 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/100/2 (2,000/cs), 7 lb
	806-PCL	Large tip, polystyrene handle	17.4 x 6.4 mm 0.69 x 0.25"	152.4 mm 6"	10/5/100 (5,000/cs), 10 lb
	806-WC	Standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 16 lb
	25-806 1WC				10/100/1 (1,000/cs), 6 lb
	25-806 2WC				10/100/2 (2,000/cs), 7 lb
	25-806 10WC				10/20/10 (2,000/cs), 6 lb
	806-WC HOSPITAL	Hospital® Brand, standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/10/100 (10,000/cs), 14 lb
	25-806 1WC HOSPITAL				10/100/1 (1,000/cs), 6 lb
	25-806 2WC HOSPITAL				10/100/2 (2,000/cs), 7 lb

COTTON-TIPPED APPLICATORS, CONTINUED

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
non-sterile sterile					
	806-WCL	Large tip, wood handle	17.5 x 5.9 mm 0.69 x 0.23"	150.8 mm 5.94"	10/5/100 (5,000/cs), 10 lb
	25-806 10WCL				10/20/10 (2,000/cs), 6 lb
	25-806 WCLB 10/50				10/50 (500/cs), 2 lb
	806-WCXL	Extra-large tip, wood handle	17.4 x 7.9 mm 0.69 x 0.31"	150.8 mm 5.94"	10/10/50 (5,000/cs), 12 lb
	821-WC DBL	Double-ended (one standard and one tapered), wood handle	15.9 x 4.8 mm 0.63 x 0.19"	152.4 mm 6"	10/5/100 (5,000/cs), 9 lb
	823-WC	Tapered mini tip, wood handle	12.7 x 3 mm 0.5 x 0.12"	75.4 mm 2.97"	10/10/100 (10,000/cs), 8 lb
	826-WC	Tapered mini tip, wood handle	12.7 x 3.4 mm 0.5 x 0.14"	149.2 mm 5.8.88"	10/10/100 (10,000/cs), 12 lb
	25-826 5WC				10/20/5 (1,000/cs), 4 lb
	833-WCS	Small tip, wood handle, in plastic vial	15.9 x 4 mm 0.63 x 0.16"	77 mm 3.03"	50/100 (10,000/cs), 8 lb
	861-WC DBL	Double-ended standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	154 mm 6.06"	10/5/100 (5,000/cs), 10 lb
	869-WCS	Extra-small tip, wood handle	12.7 x 3.2 mm 0.5 x 0.13"	149.2 mm 5.88"	10/10/100 (10,000/cs), 13 lb





CALGISWAB® CALCIUM ALGINATE-TIPPED APPLICATORS

These specialty applicators are tipped with calcium alginate fiber, an organic, biodegradable material derived from seaweed for use in patient care, wound care and diagnostics. Available on wood, plastic or wire handles.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
non-sterile sterile					
	25-800 A 50	Mini tip, 0.035" diameter aluminum handle, curled end; nasopharyngeal applicator	11.1 x 2 mm 0.44 x 0.08"	138.1 mm 5.44"	10/50/1 (500/cs), 4 lb
	806-PA 5M	Standard tip, polystyrene handle	16.3 x 5.6 mm 0.64 x 0.22"	152.4 mm 6"	5/10/100 (5,000/cs), 9 lb
	25-806 1PA	Standard tip, polystyrene handle	17.5 x 5.6 mm 0.69 x 0.2"	152.4 mm 6"	10/100/1 (1,000/cs), 6 lb
	25-806 1WA	Standard tip, wood handle	16.3 x 5.6 mm 0.64 x 0.22"	150.8 mm 5.937"	10/100/1 (1,000/cs), 6 lb





RAYON-TIPPED APPLICATORS

Designed for diagnostic specimen collection, wound treatment, and application of medicines. Made of the finest USP grades of rayon fiber carded, spun and applied on-site. Available in a choice of sizes and handle materials. This economical fiber is made from wood, performing like cotton in absorbency and softness, but is rendered a synthetic fiber through denaturing and therefore well-suited for diagnostic specimen collection where cotton and other natural materials are not.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
non-sterile sterile					
	25-800 R 50	Mini tip, aluminum handle, 0.035" diameter, curled end	17.5 x 2 mm 0.69 x 0.08"	139.7 mm 5.44"	10/50/1 (500/cs), 4 lb
	803-PR	Standard tip, polystyrene handle	17.45 x 5.156 mm 0.687 x 0.078"	76.2 mm 3"	10/10/100 (10,000/cs), 9 lb
	806-PR	Standard tip, polystyrene handle	17.5 x 5.2 mm 0.69 x 0.2"	152.4 mm 6"	10/10/100 (10,000/cs), 16 lb
	25-806 1PR				10/100/1 (1,000/cs), 6 lb
	25-806 2PR				10/100/2 (2,000/cs), 7 lb
	25-806 1WR	Standard tip, wood handle	15.9 x 4.8 mm 0.63 x 0.19"	150.8 mm 5.94"	10/100/1 (1,000/cs), 6 lb

OB/GYN AND PROCTOSCOPIC APPLICATORS

Choose from rayon or cotted tipped swabs with oversized and extra-absorbent tips. Available in a choice of shaft lengths including paper and polystyrene shaft materials. These swabs are perfect for OB/GYN, proctoscopic, veterinary, and forensic use.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
non-sterile sterile					
	808	OB/GYN applicator, rayon tip, paper handle	28.6 x 12.7 mm 1.13 x 0.5"	208 mm 8.19"	10/50 (500/cs), 5 lb
	808 100				10/100 (1,000/cs), 8 lb
	808 BULK				500 (500/cs), 4 lb
	808 COTTON	OB/GYN applicator, cotton tip, paper handle	28.6 x 12.7 mm 1.13 x 0.5"	208 mm 8.19"	10/50 (500/cs), 5 lb
	25-808 1PR	OB/GYN applicator, rayon tip, polystyrene handle	28.6 x 12.7 mm 1.13 x 0.5"	201.6 mm 7.94"	10/50/1 (500/cs), 8 lb
	25-808 2PR				10/50/2 (1,000/cs), 11 lb
	816	Proctoscopic applicator, rayon tip, polypropylene handle	28.6 x 12.7 mm 1.13 x 0.5"	408 mm 16.06"	10/50 (500/cs), 8 lb
	816 100				10/100 (1,000/cs), 13 lb
	816 BULK				500 (500/cs), 6 lb






Did you know?

Two strains of the HPV virus (HPV 16 and HPV 18) are known to be responsible for **70% of all cases of cervical cancer**. These types of infections don't have any symptoms, so screening is extremely important.

SOURCE: National Cancer Institute

CYTOLOGY COLLECTION DEVICES

Puritan® cytology products are made of the very best materials, in the most effective shapes, to maximize sample collection and provide a comfortable patient experience at the same time.

	Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack (case total), weight
	non-sterile sterile				
	2188	Histobrush®, soft nylon bristles, tapered tip	19.05 x 5.08 mm 0.75 x 0.2"	203.2 mm 8"	10/100 (1,000/cs), 5 lb
	25-2188				10/100/1 (1,000/cs), 8 lb
	2199	Histobrush®, soft nylon bristles, tapered tip	19.05 x 5.08 mm 0.75 x 0.2"	177.8 mm 7"	10/100 (1,000/cs), 4 lb
	25-2199				10/100/1 (1,000/cs), 8 lb
	2195	Rovers® Cervex-Brush®	28.6 x 19.1 mm 1.25 x 0.75"	198.4 mm 7.8"	35/25 (875/cs), 6 lb
	2195 COMBI	Rovers® Cervex-Brush® ecto and endo	34.3 x 19.1 mm 1.35 x 0.75"	201.6 mm 7.94"	4/25 (100/cs), 5 lb
	2196	Rovers® EndoCervex-Brush®	33.8 x 5.4 mm 1.33 x 0.21"	201.3 mm 7.94"	10/50 (500/cs), 3 lb









DRY TRANSPORT TUBE SYSTEMS

For collection and transport when no medium is required. Single and double swab options are available along with various tip and handle materials. Two tube variations are offered (TT and BT). Our traditional TT style tube offers double fishtail ends. Most commonly used in diagnostics, where the specimen collected requires safe transport to the lab for processing.

	Item No.	Product Description	Tip length x diameter	Packaging pack (case total), weight
non-sterile sterile				
	25-806 1PC BT	Standard cotton-tipped swab, polystyrene handle, dry transport tube, pink cap	17.4 x 5.2 mm 0.69 x 0.2"	5/100/1 (500/cs), 7 lb
	25-806 1WC BT	Standard cotton-tipped swab, wood handle, dry transport tube, pink cap	15.9 x 4.8 mm 0.63 x 0.19"	5/100/1 (500/cs), 7 lb
	25-806 1PD BT	Standard polyester-tipped swab, polystyrene handle, dry transport tube, green cap	17.5 x 5.2 mm 0.69 x 0.2"	5/100/1 (500/cs), 7 lb
	25-806 2PD TT	Double standard polyester-tipped swabs, polystyrene handles, reclosable tube with fishtail sealed ends	17.5 x 5.2 mm 0.69 x 0.2"	24/30/2 (720/cs), 7 lb
	25-806 1PR BT	Standard rayon-tipped swab, polystyrene handle, dry transport tube, natural cap	28.6 x 12.7 mm 1.13 x 0.5"	5/100/1 (500/cs), 7 lb
	25-806 2PR BT	Double standard rayon-tipped swabs, polystyrene handles, dry transport tube, natural cap	28.6 x 12.7 mm 1.13 x 0.5"	10/50/2 (1,000/cs), 7 lb
	25-806 2PR TT	Double standard rayon-tipped swabs, polystyrene handles, reclosable tube with fishtail sealed ends	28.6 x 12.7 mm 1.13 x 0.5"	24/30/2 (720/cs), 8 lb
	25-1406 1PF BT	Thin foam-tipped swab, nylon handle, dry transport tube, natural cap	13.9 x 3.6 mm 0.55 x 0.14"	5/100/1 (500/cs), 7 lb
	25-1506 1PF BT	Standard foam-tipped swab, polystyrene handle, dry transport tube, natural cap	16 x 4.8 mm 0.63 x 0.19"	5/100/1 (500/cs), 7 lb
	25-1506 1PF BT BL	Standard foam-tipped swab, polystyrene handle, dry transport tube, blue cap	16 x 4.8 mm 0.63 x 0.19"	5/100/1 (500/cs), 7 lb











Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

DRY TRANSPORT TUBE SYSTEMS, CONTINUED

	Item No.	Product Description	Tip length x diameter	Packaging pack (case total), weight
non-sterile sterile				
	25-1506 2PF BT	Double standard foam-tipped swabs, polystyrene handles, dry transport tube, purple cap	16 x 4.8 mm 0.63 x 0.19"	10/50/2 (1,000/cs), 7 lb
	25-1506 1PF TT MC	Standard foam-tipped swab, polystyrene handle, reclosable dry transport tube with a molded end cap	16 x 4.8 mm 0.63 x 0.19"	10/100/1 (1,000/cs), 10 lb
	25-3206-H 20MM BT	Elongated flock-tipped swab, polystyrene handle with 20 mm breakpoint, dry transport tube, white cap	19.6 x 5.6 mm 0.77 x 0.22"	5/100/1 (500/cs), 7 lb
	25-3306-H BT	Standard flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, red cap	17.5 x 5.1 mm 0.69 x 0.2"	5/100/1 (500/cs), 7 lb
	25-3306-U BT			
	25-3316-H BT	Mini flock-tipped swab, tapered polystyrene handle, no breakpoint, dry transport tube, black cap	18.4 x 3.4 mm 0.73 x 0.14"	5/100/1 (500/cs), 7 lb
	25-3316-U BT			
	25-3316-H EMB 80 BT	Mini flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, green cap	18.4 x 3.4 mm 0.73 x 0.14"	5/100/1 (500/cs), 7 lb
	25-3316-U EMB 80 BT			
	25-3316-H EMB 100 BT	Mini flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, yellow cap	18.4 x 3.4 mm 0.73 x 0.14"	5/100/1 (500/cs), 7 lb
	25-3317-H BT	Ultrafine flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, orange cap	16.8 x 3.6 mm 0.66 x 0.14"	5/100/1 (500/cs), 7 lb
	25-3317-U BT			

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

DRY TRANSPORT TUBE SYSTEMS, CONTINUED












	Item No.	Product Description	Tip length x diameter	Packaging pack (case total), weight
non-sterile sterile				
 	25-3318-H BT	Ultra microfine flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, white cap	7.9 x 3.6 mm 0.3 x 0.14"	5/100/1 (500/cs), 7 lb
	25-3318-U BT			
 	25-3319-H BT	Ultrafine tip, polystyrene handle, no breakpoint, dry transport tube, blue cap	16.7 x 3.6 mm 0.66 x 0.14"	5/100/1 (500/cs), 7 lb
 	25-3406-H BT	Large flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, red cap	16.3 x 5.6 mm 0.64 x 0.22"	5/100/1 (500/cs), 7 lb
	25-3406-U BT			
 	25-3706-H BT	Elongated flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, white cap	17.4 x 5.6 mm 0.69 x 0.22"	5/100/1 (500/cs), 7 lb
	25-3706-U BT			
 	25-3806-H BT	Elongated flock-tipped swab, tapered polystyrene handle, no breakpoint, dry transport tube, white cap	17.4 x 5.6 mm 0.69 x 0.22"	5/100/1 (500/cs), 7 lb
	25-3806-U BT			

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

WOODEN TONGUE DEPRESSORS



Made from close-grained North American hardwood, providing a smooth, splinter-free finish with no taste or odor and maintains a high-tensile strength. In addition to oral use, our tongue depressors are ideal for spreading wax, ointments and salves, stirring and mixing medications, and for use as splints.

Puritan tongue depressors are available sterile, non-sterile, flavored, unflavored, wrapped, and unwrapped. Our flavored tongue depressors are available in three flavors, each individually wrapped, ideal for pediatric and geriatric use and are a favorite of speech pathologists.

	Item No.	Product Description	Dimensions length x diameter	Packaging pack (case total), weight	
non-sterile sterile					
	700	Infant	114.3 x 9.5 mm 4.5 x 0.38"	10/1000 (10,000/cs), 37 lb	
	25-700			10/100/1 (1,000/cs), 8 lb	
	704	Standard	152.4 x 17.48 mm 6 x 0.69"	10/500 (5,000/cs), 35 lb	
	704 BULK			3,700 (3,700/cs), 28 lb (bulk)	
	704 BRIGHTWOOD	Standard, economy-grade, Brightwood® brand	152.4 x 17.5 mm 6 x 0.69"	10/500 (5,000/cs), 35 lb	
	705	Regular	152.4 x 19.1 mm 6 x 0.75"	10/500 (5,000/cs), 38 lb	
	25-705			10/100/1 (1,000/cs), 10 lb	
	706	Standard	152.4 x 17.5 mm 6 x 0.69"	12/100 (1,200/cs), 9 lb	
	709	Standard, individually wrapped	152.4 x 17.5 mm 6 x 0.69"	10/250 (2,500/cs), 21 lb	
	710	Junior, individually wrapped, no flavoring	139.7 x 15.9 mm 5.5 x 0.63"	10/250 (2,500/cs), 21 lb	
	710 CHERRY	Junior, individually wrapped, cherry flavored			
	710 GRAPE	Junior, individually wrapped, grape flavored			
	710 STRAWBERRY	Junior, individually wrapped, strawberry flavored			
	711	Junior	139.7 x 15.9 mm 5.5 x 0.63"	10/500 (5,000/cs), 29 lb	
	25-711			10/100/1 (1,000/cs), 10 lb	




WOODEN APPLICATOR STICKS

Made for general-purpose applications. Choose the size and shape for your specimen transfer, mixing rods, and laboratory work.

	Item No.	Product Description	Dimensions length x diameter	Packaging pack (case total), weight
non-sterile sterile				
	805	Wood	304.8 x 2.1 mm 12 x 0.08"	12/1000 (12,000/cs), 23 lb
	807	Wood	147.6 x 2.1 mm 5.8 x 0.08"	20/1000 (20,000/cs), 18 lb
	25-807 2W			10/100/2 (2,000/cs), 6 lb


WOODEN CUTICLE/ORANGE STICKS

Ideal as an all-purpose stick for most health and beauty settings.

	Item No.	Product Description	Dimensions length x diameter	Packaging pack (case total), weight
non-sterile sterile				
	2910	Wood, double bevel both ends	177.8 x 4 mm 7 x 0.6"	10/100 (1,000/cs), 5 lb
	2911	Wood, double bevel both ends, wrapped	177.8 x 4 mm 7 x 0.6"	4/125/1 (500/cs), 6 lb
	2925	Wood, one single bevel end, one pointed end	152.4 x 4 mm 6 x 0.6"	10/100 (1,000/cs), 4 lb

WOODEN TRANSFER STICKS

A simple wooden stick to replace the common toothpick. Non-sterile or convenient sterile multi-pack configurations for manual colony transfer in MALDI-TOF specimen assay and other applications.

	Item No.	Product Description	Dimensions length x diameter	Packaging pack (case total), weight
non-sterile sterile				
	28107 PTD 5/600	Pointed tip	73 x 2.1 mm 2.88 x 0.08"	5/600 (3,000/cs), 2 lb
	25-28107			10/40/26 (10,400/cs), 2 lb

Did you know?

One average-size birch tree yields
40,000 tongue depressors, or
200,000 6" applicator sticks.



UniTranz-RT®

Transport System with Universal Transport Medium

The most reliable choice for the collection, preservation, and transport of viruses, chlamydia, mycoplasma, and ureaplasma specimens – for immediate testing or refrigerated storage.

LEAK-PROOF, SELF-CENTERING CAP

Cap is designed to facilitate the capture of the swab handle for specimen processing. Color-coded cap ensures easy product ID.

UNIVERSAL TRANSPORT MEDIUM

Provides a pH balanced environment and contains antibiotics to inhibit bacterial or fungal contamination.

1 ML OR 3 ML FILL

Glass beads in the collection tube ensure more rapid dispersion and elution.



OR



+



VARIETY OF SWAB STYLES

PurFlock Ultra® or spun polyester swabs with a variety of tip shapes and sizes. Also available with media only.

USAGE

For *in vitro* diagnostic use.

HANDLES

Available in styles appropriate for specific collection sites and different breakpoints for transport and processing in your lab.

FEATURED PRODUCT:





Puritan UniTranz-RT® Collection + Transport System in 1 mL (#UT-116) and 3 mL (#UT-316)

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with PurFlock Ultra® Flocked Swabs



The most reliable choice for the collection, preservation, and transport of viruses, chlamydia, mycoplasma, and ureaplasma specimens at room temperature (RT). All kits include sterile wrapped swabs and vial.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	UT-106	One large PurFlock Ultra®-tipped swab (25-3406-U), polystyrene handle with 80 mm breakpoint	12 x 80 mm	1 mL, Universal Transport	6/50 (300/cs), 12 lb
	UT-116	One miniature PurFlock Ultra®-tipped swab (25-3316-U), polystyrene handle with 80 mm breakpoint	12 x 80 mm	1 mL, Universal Transport	6/50 (300/cs), 12 lb
	UT-117	One ultrafine PurFlock Ultra®-tipped swab (25-3317-U), polystyrene handle with 100 mm breakpoint	12 x 80 mm	1 mL, Universal Transport	6/50 (300/cs), 12 lb
	UT-306	One elongated PurFlock Ultra®-tipped swab (25-3706-U), polystyrene handle with 100 mm breakpoint	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb
	UT-316	One miniature PurFlock Ultra®-tipped swab (25-3316-U), polystyrene handle with 100 mm breakpoint	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb
	UT-317	One ultrafine PurFlock Ultra®-tipped swab (25-3317-U), polystyrene handle with 100 mm breakpoint	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb
	UT-367	One elongated PurFlock Ultra®-tipped swab (25-3706-U) with polystyrene handle and 100 mm breakpoint, and one ultrafine PurFlock Ultra®-tipped swab (25-3317-U), with polystyrene handle	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with Spun Polyester Swabs

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	UT-302	Two polyester swabs (one regular-tipped with a plastic handle, one mini tip with a plastic/wire handle, both with 100 mm breakpoint)	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb
	UT-361	One regular polyester-tipped swab, plastic handle with 100 mm breakpoint	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb
	UT-362	Two regular polyester-tipped swabs, plastic handles with 100 mm breakpoint	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb
	UT-366	Two polyester swabs (one regular-tipped with a plastic handle, one mini tip with a plastic handle, both with 100 mm breakpoint)	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 16 lb

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with Media Only

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	UT-100	No swab, red self-centering cap, unwrapped	12 x 80 mm	1 mL, Universal Transport	6/50 (300/cs), 6 lb
	UT-300	No swab, red self-centering cap, unwrapped	16 x 100 mm	3 mL, Universal Transport	6/50 (300/cs), 10 lb



Opti-Swab®

Liquid Amies Collection + Transport System

Combining Liquid Amies and Puritan's proprietary HydraFlock® for an ideal buffered environment for aerobic, anaerobic, and fastidious bacterial samples.

PURE SPECIMEN COLLECTION

No fiber treatment to interfere with specimen purity.

LEAK-PROOF, SELF-CENTERING CAP

Cap is designed to facilitate the capture of the swab handle for specimen processing. Color-coded cap ensures easy product ID.

SAFE, INTEGRATED TRANSPORT VIAL

Transport vial is engineered and validated for integrated use with traditional and automated specimen processors. Made with high-quality raw materials, the vial ensures the safe collection and transport of clinical specimens.

MODIFIED LIQUID AMIES MEDIUM

Maintains viability of aerobic, anaerobic, and fastidious bacteria.

VARIETY OF SWAB STYLES

Patented HydraFlock® swabs are available in several tip shapes and sizes.






FEATURED PRODUCT:

Puritan Opti-Swab® Liquid Amies Collection + Transport System (#LA-106)


PURITAN OPTI-SWAB® LIQUID AMIES TRANSPORT SYSTEM with Patented HydraFlock® Flocked Swabs

Designed for superior ease of use and performance in the collection and transport of clinically significant bacteria. Swabs are not individually wrapped.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
non-sterile sterile					
	LA-106	One elongated HydraFlock®-tipped swab (3506-H), polystyrene handle with 80 mm breakpoint, white self-centering cap	12 x 80 mm	1 mL, Liquid Amies	6/50 (300/cs), 9 lb
	LA-116	One miniature HydraFlock®-tipped swab (3316-H), polystyrene handle with 80 mm breakpoint, green self-centering cap	12 x 80 mm	1 mL, Liquid Amies	6/50 (300/cs), 9 lb
	LA-117	One ultrafine HydraFlock®-tipped swab (3317-H), polystyrene handle with 100 mm breakpoint, blue self-centering cap	12 x 80 mm	1 mL, Liquid Amies	6/50 (300/cs), 9 lb

PURITAN FECAL OPTI-SWAB® COLLECTION + TRANSPORT SYSTEM

Intended for use in the collection and transport of fecal and rectal swab specimens to preserve the viability of enteric bacteria during transport from the collection site to the laboratory for bacteriological examination and culture. Swab is not individually wrapped.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
non-sterile sterile					
	CB-206	One elongated HydraFlock®-tipped swab (3506-H), polystyrene handle with 80 mm breakpoint, orange self-centering cap	12 x 80 mm	2 mL, Cary-Blair	6/50 (300/cs), 9 lb

Microbiology media products

For the enrichment, maintenance or preservation of your specimen while in transit.

These application-specific media bring efficiency and reliability to your testing system. Choose the medium formulated specifically for your important work.



COLOR CODED
Makes it easy to select the liquid medium you want to use.

SHELF LIFE
Dated and printed to be highly visible.





FILL VARIETY
Most available in 2 mL or 5 mL fills.

FEATURED PRODUCTS:

A selection of Puritan liquid media systems


LIM SELECTIVE ENRICHMENT BROTH

Enrichment broth used in selective qualitative procedures for the isolation of Group B Streptococcus (GBS) for women that are between 35–37 weeks gestation.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	LB-200	Polypropylene screw-cap tube, light blue cap	12 x 80 mm	2 mL, Lim Broth	50 (50/cs), 1 lb
	LB-500	Polypropylene screw-cap tube, light blue cap	16 x 100 mm	5 mL, Lim Broth	50 (50/cs), 2 lb


SELENITE SELECTIVE ENRICHMENT BROTH

Selective enrichment broth used for the isolation of *Salmonella spp* and *Shigella spp* from fecal specimens.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	SB-500	Polypropylene screw-cap tube, white cap	16 x 100 mm	5 mL, Selenite	50 (50/cs), 2 lb



MRSA ENRICHMENT MEDIUM

Enrichment broth used for the isolation of *Staphylococcus aureus* species, particularly methicillin-resistant *Staphylococcus aureus* (MRSA).

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	MRSA-200	Polypropylene screw-cap tube, pink cap	12 x 80 mm	2 mL, MRSA	50 (50/cs), 1 lb



CARY-BLAIR TRANSPORT MEDIUM

Intended for collection, transport, and preservation of fecal and rectal swabs containing enteric pathogenic bacteria that lead to foodborne illness.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	CB-200	Polypropylene screw-cap tube, orange cap	12 x 80 mm	2 mL, Cary-Blair	50 (50/cs), 1 lb
	CB-500	Polypropylene screw-cap tube, orange cap	16 x 100 mm	5 mL, Cary-Blair	50 (50/cs), 2 lb

SPUTUM SOLUTION

Maintenance medium intended to liquefy clinical sputum specimens for the isolation of bacteria and fungi that cause respiratory tract infections.

	Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack (case total), weight
	SP-100	Polypropylene screw-cap tube, natural cap	12 x 80 mm	1 mL, Sputum	30 (30/cs), 1 lb
	SP-100 P	Polypropylene screw-cap tube with natural cap, and one sterile pasteur pipette for sputum sample transfer	12 x 80 mm	1 mL, Sputum	20/20 (20/cs), 1 lb

Puritan® – a tradition of excellence

Order with confidence, knowing you will always get consistent quality, ready availability, and outstanding service. You can count on Puritan.

From our inception in 1919, our wood products operation has grown to become a state-of-the-art medical device manufacturer serving markets worldwide with Puritan's US-made products.

Our success is evident in the success of our customers. Our guarantee is to produce the highest-quality single-use products possible. Our mission is to provide our customers with unparalleled service. Our promise is to deliver – the right product, on time.

Puritan Medical Products Co.
31 School Street
P.O. Box 149
Guilford, Maine 04443-0149 USA

800.321.2313 (US + Canada)
207.876.3311
puritanmedproducts.com
sales@puritanmedproducts.com